


TRIBE<sup>7</sup>



# BLACKNING<sup>7</sup>

E Z A N A

AVAILABILITY · PRICING · SPECS





## O V E R V I E W

EZANA lenses deliver a unique medium format look for filmmakers looking to embrace the future of 65mm format capture. Inspired by ultra-widescreen Cinerama, when the iconic 2.76:1 aspect ratio was gaining popularity in the 1950s, EZANA reimagines this aesthetic by blending spherical optics with an anamorphic look.

The EZANA program has been in experiment since 2022 as part of TRIBE7's exploration into 'look tuning' the modular design of BLACKWING7 lenses. During that time, photographers and cinematographers have helped test various aspects of EZANA technology during different stages of evolution.

The EZANA lens range comprises ten focal lengths featuring:

- Multi-coated optics with optimized performance for the 65mm format
- SKIN 3000 front elements that provide a warmer look with skin tones and amber flare characteristics
- New pupil (rainbow) flare response that is more vibrant than T-Tuned but subtler than X-Tuned lenses
- New 'crossover' iris design that creates a wide-open look similar to medium format anamorphic, which becomes more circular when stopped down





## AVAILABILITY AND PRICING

BLACKWING<sup>7</sup> EZANA lenses are available worldwide through direct enquiry to TRIBE<sup>7</sup> or dealers. All orders are fulfilled on a first-come, first-served basis.

### DISTRIBUTION

In the below regions, BLACKWING<sup>7</sup> lenses are exclusively available from our distributors:

— CVP	United Kingdom and EU	aaron.george@cvp.com
— Second Reef	EU and EMEA	sales@second-reef.com
— Lemac Film & Digital	Australia & New Zealand	lenses@lemac.com.au
— Koil Corporation	South Korea	order@koil.co.kr
— TRIBE <sup>7</sup>	North America & Rest of World	seven@7isatribe.com

### PRICING

BLACKWING <sup>7</sup> EZANA	USD	EUR
<b>17</b> MM T2.4	21,792	19,456
<b>20.7</b> MM T2.4	19,544	17,450
<b>23.7</b> MM T2.4	18,110	16,170
<b>27</b> MM T2.4	17,248	15,400
<b>37</b> MM T2.4	15,551	13,885
<b>47</b> MM T2.4	15,551	13,885
<b>57</b> MM T2.4	15,551	13,885
<b>77</b> MM T2.4	15,551	13,885
<b>107</b> MM T2.4	15,551	13,885
<b>137</b> MM T2.4	15,551	13,885
SET OF 10 LENSES	170,000	151,786

A 25% deposit is payable upon ordering and is required to secure early availability. Pricing is FOB factory (Bavaria, Germany) and excludes delivery charges and all taxes.



THIS ADVANCE INFORMATION IS SUBJECT TO CHANGE

BLACKWING<sup>7</sup> EZANA AW24

## TECHNICAL SPECIFICATION

FOCAL LENGTH	IMAGE CIRCLE MM		CLOSE FOCUS		WEIGHT	
	MM	MIN	MAX	IN	CM	LB
17	53	55	8.7	22.0	3.8	1.75
20.7	53	55	9.0	23.0	3.2	1.5
23.7	53	55	10.3	26.0	3.2	1.5
27	53	55	13.0	34.0	3.6	1.7
37	60	60+	18.0	45.7	3.4	1.6
47	60	60+	17.5	44.5	3.2	1.5
57	60	60+	19.0	48.3	3.5	1.6
77	60	60+	26.0	66.0	3.0	1.4
107	60	60+	27.0	68.5	3.2	1.4
137	60	60+	32.0	81.3	3.2	1.5

BLACKWING<sup>7</sup> EZANA AW24


APERTURE	—	T2.4 TO T22 FOR ALL FOCAL LENGTHS
IRIS SYSTEM	—	CROSSOVER DESIGN, 14 BLADE
IMAGE DISTORTION	—	LESS THAN -4% / +0.5%
TRANSMISSION WAVEBAND	—	420 <sub>NM</sub> TO 680 <sub>NM</sub>
COLOR AND TONALITY	—	MATCHED ACROSS THE RANGE
MAGNIFICATION SHIFT	—	LESS THAN 4% (FROM ∞ TO CLOSE FOCUS)
FOCUS AND IRIS BACKLASH	—	NEGLIGIBLE
FLANGE SYSTEM	—	PL MOUNT
FRONT DIAMETER	—	104 <sub>MM</sub> FOR ALL FOCAL LENGTHS
FOCUS SCALE AND DRIVE	—	WINDOWED
		17 TO 137 <sub>MM</sub> LEFT/RIGHT IN FEET (METERS ON REQUEST)
		270-DEGREE ROTATION
		GEARING: 142 TEETH, 0.8 <sub>MM</sub> MOD, 6 <sub>MM</sub> WIDTH, 115.2 <sub>MM</sub> DIA
APERTURE SCALE AND DRIVE	—	NON-WINDOWED LEFT/RIGHT
		90-DEGREE ROTATION
		GEARING: 134 TEETH, 0.8 <sub>MM</sub> MOD, 3 <sub>MM</sub> WIDTH, 108.8 <sub>MM</sub> DIA
OPERATING TEMPERATURE RANGE	—	-20 TO +45 C



## TECHNICAL SPECIFICATION

### HORIZONTAL ANGLE OF VIEW (DEGREES)


FOCAL LENGTH	17	20.7	23.7	27	37	47	57	77	107	137	FILM/SENSOR DIMENSIONS		
	55	55	55	55	60	60	60	60	60	60	H	W	DIAGONAL
T-STOP	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4			
5-PERF 65MM FILM TODD-AO	110	99	91	84	67	55	46	35	26	20	22.1	48.57	53.36
BLACKMAGIC URSA CINE 17K 65MM	112	102	94	87	69	57	48	37	27	21	23.32	50.81	55.91
ARRIFLEX 765 FILM CAMERA	114	103	96	88	71	58	49	38	28	22	23	52.5	57.32
ALEXA 65	116	105	98	90	72	60	51	39	28	22	25.58	54.12	59.86



FILM@DIGITALTIMES



A



TRIBE<sup>7</sup>

MISSION